

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addease COMMISSIONER FOR PATENTS PO Box 1430 Alexandria, Virginia 22313-1450 www.webjo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/576,309	05/19/2006	Gabriele Balboni	2525-1019	4489
466. 7591 YOUNG & THOMPSON 209 Madison Street			EXAMINER	
			FAYYAZ, NASHMIYA SAQIB	
Suite 500 ALEXANDRI	A. VA 22314		ART UNIT	PAPER NUMBER
	,		2856	
			MAIL DATE	DELIVERY MODE
			08/12/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Application No. Applicant(s) BALBONI, GABRIELE 10/576,309 Office Action Summary Examiner Art Unit Nashmiya S. Favyaz 2856 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 21 May 2009. 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 1-26.28-92 and 94-96 is/are pending in the application. 4a) Of the above claim(s) 14-26.28-92 and 94 is/are withdrawn from consideration. 5) Claim(s) _____ is/are allowed. 6) Claim(s) 1-13.95 and 96 is/are rejected. 7) Claim(s) _____ is/are objected to. 8) Claim(s) _____ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are; a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. Attachment(s) 1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)

Paper No(s)/Mail Date 6/5/09

2) Notice of Draftsperson's Patent Drawing Review (PTO-948)

Paper No(s)/Mail Date.

6) Other:

5) Notice of Informal Patent Application

Application/Control Number: 10/576,309 Page 2

Art Unit: 2856

DETAILED ACTION

Claim Rejections - 35 USC § 103

- The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 2 Claims 1-13, 95 and 96 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sunnen-US Patent #3,496,758. As to claims 1 and 95. Sunnen discloses a bore gauge setting fixture including contact means (anvil 58 and adapter 100 with shaft 122) for measuring ends (20/40) of instrument to be calibrated (gauge 12), first/second surface(66/42), see col. 2, lines 71 et seg and figs. 1-5. Further, Sunnen does not disclose an adapter element, per se. However, Sunnen does disclose pedestal 52 with adjustable anvil 58 in bore 60 with set screw 62 which is designed to receive and support an end of the gauge based on its profile where the pedestal includes groove (formed by ledge 84 and platform 78) which forms passage for end 20 of the gauge extending toward and against contact surface 66. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have designated the pedestal with its various elements as an adapter element since it performs the functions of the adapter element as disclosed. As to claim 2, note fixed block (anvil 58 fixed with set screw 62a). As to claim 3, note mobile block (shaft 122) supports the other end via member 100. As to claim 4, note fig. 1 and 2 showing horizontal alignment of pedestals 52/54. As to claim 5, note knurled knob 126 as

Art Unit: 2856

a means for driving. As to claim 6, note clamping member 102 which guides. As to claim 7, note guide shaft 104. As to claim 8, note fixed mounting block (platform 78 or pedestal 54). As to claim 9, note fig. 1 depiction. As to claim 10, note knurling 124 as a means for driving. As to claims 11-12, note drive shaft 122 with threading within sleeve 118 for rotation. As to claim 13, note knurl knob 126 or micrometer 120 for controlling. As to claim 96, note mounting means (base 50).

Claim Rejections - 35 USC § 112

3. Claims 1-13, 95 and 96 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. In claim 1, on lines 13-15, "the respective end" lacks clear antecedent basis.

Response to Arguments

4. Applicant's arguments with respect to claims 1-13, 95 and 96 have been considered but are moot in view of the new ground(s) of rejection. It is noted that Applicant has incorporated non-elected limitations of claim 27 as well as new language into claim 1 such that a new ground of rejection is applicable due to the amendment.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection
presented in this Office action. Accordingly, THIS ACTION IS MADE FINAL.

Application/Control Number: 10/576,309

Art Unit: 2856

See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nashmiya S. Fayyaz whose telephone number is 571-272-2192. The examiner can normally be reached on Tuesdays and Thursdays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hezron E. Williams can be reached on 571-272-2208. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2856

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/N. S. F./ Examiner, Art Unit 2856 /Hezron Williams/ Supervisory Patent Examiner, Art Unit 2856